Whirlpool

Whirlpool WHK2 6493 X5E monoporta Libera installazione 490 L Acciaio inox





Marchio : Whirlpool

Codice prodotto: WHK2 6493 X5E

Nome del prodotto : WHK2 6493 X5E

Whirlpool WHK2 6493 X5E. Posizionamento dell'apparecchio: Libera installazione, Colore del prodotto: Acciaio inox, Cerniera porta: Destra. Capacità netta totale: 490 L, Classe climatica: SN-T, Classe emissione rumore: B. Capacità netta frigorifero: 340 L, Tipo di lampada: LED. Posizione del congelatore: Posto in basso, Capacità netta congelatore: 150 L, Capacità di congelamento: 7,8 kg/24h. Lunghezza cavo: 2,15 m



Design	
Posizionamento dell'apparecchio *	Libera installazione
Colore del prodotto *	Acciaio inox
Pannellabile	✕
Cerniera porta	Destra
Tipo di cerniera della porta	Cerniera fissa
Assemblaggio di porte	Door in door
Tipo di controllo	Pulsanti
Display incorporato *	✕
Materiale ripiano	Vetro

Prestazione	
Capacità netta totale *	490 L
Classe climatica *	SN-T
Classe emissione rumore *	B
Emissione acustica *	35 dB
Numero di zone temperatura	2

Frigorifero	
Capacità netta frigorifero *	340 L
Luce interna	✔
Tipo di lampada	LED
No Frost (frigorifero) *	✔
Sistema Multi-Airflow (frigorifero) *	✕
Numero di ripiani frigorifero *	4

Congelatore	
Autonomia senza energia elettrica *	18 h
Punteggio *	4*
No Frost (congelatore) *	✔
Sbrinamento automatico (congelatore)	✔
Numero di cassetti del congelatore	3
Funzione congelamento veloce	✔

Ergonomia	
Allarme porta aperta	✔
Piedini regolabili	✔
Lunghezza cavo	2,15 m
Defrost water drain	✔

Gestione energetica	
Scala di efficienza energetica	Da A a G
Classe efficienza energetica *	D
Indice di efficienza energetica (EEI)	80
Carico di collegamento	120 W
Consumo energetico annuo *	237 kWh
Alimentazione	Elettrico
Tensione di ingresso AC	220-240 V
Frequenza di ingresso AC	50 Hz
Corrente	0,8 A

Frigorifero	
Numero di cassetti per verdura *	4
Porta bottiglie	✔
Ventilato	✔

Congelatore	
Posizione del congelatore *	Posto in basso
Capacità netta congelatore *	150 L
Capacità di congelamento *	7,8 kg/24h

Dimensioni e peso	
Larghezza	700 mm
Profondità	745 mm
Altezza	1920 mm
Peso	92,5 kg

Dettagli tecnici	
Certificati di conformità	VDE

8003437064425

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 18-NOV-2026. Prints or copies of Information are only valid on the printed Publication date