DeepCool CL660 WH Bianco

Marchio : DeepCool

Codice prodotto: R-CL660-WHNNA0-G-1

Nome del prodotto : CL660 WH

DeepCool CL660 WH. Tipo: PC, Colore del prodotto: Bianco, Fattore di forma scheda madre supportato: Mini-ITX, micro ATX, ATX. Fattori di forma di alimentazione supportati: ATX, PS2, SFX, SFX-L. Diametro delle ventole frontali supportato: 140 mm, Diametro delle ventole posteriori supportato: 120,140 mm, Diametri delle ventole superiori supportati: 120,140 mm. Dimensioni di hard disk drive supportati: 3.5", Dimensione SSD: 2.5". Larghezza: 235 mm, Profondità: 457,5 mm, Altezza: 533,5 mm





Design	
Materiali	Acrilonitrile butadiene stirene (ABS), SPCC, Vetro temperato
Tipo *	PC
Colore del prodotto *	Bianco
Fattore di forma scheda madre supportato *	Mini-ITX, micro ATX, ATX
Numero di vani per drive 3.5" *	2
Numero di attacchi da 2.5"	1
numero di slot espansivi	7
Finestra laterale	✔
Illuminazione	✔
colore d'illuminazione	Multi
posizione delle illuminazioni	Ventole
Pannello(i) di vetro temprato	✔
Filtro anti polvere	✔
Gestione dei cavi ottimizzata	✔
Tasto reset	✔
Pulsante on/off	✔
Altezza massima dissipatori CPU	17,5 cm
lunghezza massima scheda grafica	41,3 cm
Lunghezza massima PSU	16 cm

Alimentazione	
Fonte di alimentazione inclusa *	✘
Fattori di forma di alimentazione supportati	ATX, PS2, SFX, SFX-L

Connettività	
Jack combinato per microfono/auricolare	✔

Raffreddamento	
Numero massimo di ventole frontali	2
Diametro delle ventole frontali supportato	140 mm
Numero massimo ventole posteriori	1
Diametro delle ventole posteriori supportato	120,140 mm
Numero massimo di ventole superiori	3
Diametri delle ventole superiori supportati	120,140 mm
Ventole inferiori installate	2x 120 mm
Numero massimo ventole inferiori	2
Diametro delle ventole inferiori supportato	120 mm
capacità raffreddamento liquidi	✔
Dimensioni del radiatore posteriore supportate	120 mm
Dimensioni del radiatore superiore supportate	120,240,360 mm

Archiviazione	
Dimensioni di hard disk drive supportati *	3.5"
Dimensione SSD	2.5"

Contenuto dell'imballo	
Manuale dell'utente	✔

Connettività	
Quantità di porte USB 3.2 Gen 1 (3.1 Gen 1) di tipo A *	2
Quantità di porte USB 3.2 Gen 2 (3.1 Gen 2) di tipo C *	1

Dimensioni e peso	
Larghezza	235 mm
Profondità	457,5 mm
Altezza	533,5 mm
Peso	10 kg



6933412765424

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 17-NOV-2026. Prints or copies of Information are only valid on the printed Publication date