Cudy AP3000 Outdoor 2976 Mbit/s Bianco Supporto Power over Ethernet (PoE)





Marchio : Cudy

Codice prodotto: AP3000 OUTDOOR

Nome del prodotto : AP3000 Outdoor

Cudy AP3000 Outdoor. 2.4 GHz, 5 GHz, Velocità massima di trasferimento dati: 2976 Mbit/s. Algoritmi di sicurezza supportati: WPA, WPA2, WPA3. Velocità trasferimento Ethernet LAN: 100,1000,2500,10 Mbit/s. Supporto Power over Ethernet (PoE). Colore del prodotto: Bianco. Consumo energetico (max): 18 W

Caratteristiche	
2.4 GHz *	✔
5 GHz *	✔
6 GHz *	✘
Velocità massima di trasferimento dati *	2976 Mbit/s
Velocità massima di trasferimento dati (2,4 GHz)	574 Mbit/s
Velocità massima di trasferimento dati (5 GHz)	2402 Mbit/s
Velocità trasferimento Ethernet LAN	100,1000,2500,10 Mbit/s
Standard di rete	IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.3at
MIMO	✔
Tipo MIMO	Multi User MIMO
Metodo spread spectrum	OFDMA
VLAN support	✔
Caratteristiche della LAN virtuale	Tagged VLAN
Supporto qualità del servizio (QoS)	✔
Raggio d'azione esterno	320 m

Sicurezza	
Algoritmi di sicurezza supportati *	WPA, WPA2, WPA3
Filtri MAC address	✔
Filtraggio per indirizzo IP	✔
Numero di supporti SSID	8
Accesso ospite	✔
Funzione IGMP snooping	✔

Protocolli	
Cliente DHCP	✔

Gestione energetica	
Tipo Power over Ethernet (PoE) supportato	Active PoE, Passive PoE
tasso di voltaggio DC	48-57 V
Consumi	5 W
Consumo energetico (max)	18 W

Design	
Installazione *	Asta, Parete
Colore del prodotto *	Bianco
Codice di protezione internazionale (IP)	IP65
Tasto reset	✔
Sicurezza WPS Push Button	✔

Antenna	
Tipo di antenna *	Interno&esterno
Caratteristiche dell'antenna	Antenna staccabile
Qualità dell'antenna	2
Tipo connettore antenna	RP-SMA

Prestazione	
Chipset	MT7981, IPQ5018
Memoria flash	128 MB

Dettagli tecnici	
Quantità di cartone da spedizione	20 pz

Dimensioni e peso	
Larghezza	240 mm
Profondità	100 mm
Altezza	53,7 mm
Peso	455 g

Caratteristiche di gestione	
Gestione web-based	✔
Syslog	✔

Connettività	
Quantità porte Ethernet LAN (RJ-45) *	1
Porta WAN	Ethernet (RJ-45)

Gestione energetica	
Supporto Power over Ethernet (PoE) *	✔

Dati su imballaggio	
Larghezza imballo	324 mm
Profondità imballo	107 mm
Altezza imballo	86 mm
Peso dell'imballo	856 g

Contenuto dell'imballo	
Adattatore AC/DC	✘
Adattatore PoE incluso	✔
Cavi inclusi	UTP
Kit di montaggio	✔
Guida rapida	✔
Software forniti	Cudy Software

Dati logistici	
Paese di origine	Cina

6971690792992

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 11-NOV-2026. Prints or copies of Information are only valid on the printed Publication date