APC SRT1500XLI gruppo di continuità (UPS) Doppia conversione (online) 1,5 kVA 1500 W 6 presa(e) AC





Marchio : APC

Codice prodotto: SRT1500XLI

Nome del prodotto : SRT1500XLI

APC SRT1500XLI. Topologia UPS: Doppia conversione (online), Potenza in uscita: 1,5 kVA, Potenza in uscita: 1500 W. Tipo di uscita AC: Accoppiatore C13, Quantità prese AC: 6 presa(e) AC, Tipo interfaccia seriale: RJ-45. Tecnologia batteria: Acido piombo (VRLA), Durata della batteria (max): 5 anno/i, Tempo di ricarica: 3 h. Fattore di forma: Rackmount/Tower, Colore del prodotto: Nero, Lunghezza cavo: 1,83 m. Certificati di conformità: RoHS, Certificazione: CE, EAC

Caratteristiche	
Topologia UPS *	Doppia conversione (online)
Potenza in uscita *	1,5 kVA
Potenza in uscita *	1500 W
Forma d'onda *	Sinusoidale
Tensione operativa in entrata (min) *	100 V
Tensione operativa in entrata (max) *	275 V
Frequenza di ingresso *	40/70 Hz
Tensione operativa di uscita (min)	220 V
Tensione di uscita (max)	240 V
frequenza output	50/60 Hz
Valutazione sovraccarico energetico	432 J
Fattore di cresta	3:1
Spegnimento di emergenza (EPO)	✔
Emissione acustica	50 dB
Allarmi sonori	✔

Connettività	
Tipo di uscita AC	Accoppiatore C13
Quantità prese AC	6 presa(e) AC
Porta USB	✔
Interfaccia seriale	✔
Tipo interfaccia seriale	RJ-45
SmartSlot	✔
Porta SmartConnect	✘

Batteria	
Tecnologia batteria	Acido piombo (VRLA)
Durata della batteria (max)	5 anno/i
Tempo di ricarica	3 h

Design	
Colore del prodotto *	Nero
Tipo di display	LCD
Indicatori LED	✔
Codice di protezione internazionale (IP)	IP20

Condizioni ambientali	
Intervallo temperatura di funzionamento	0 - 40 °C
Intervallo di temperatura	-20 - 50 °C
Range di umidità di funzionamento	0 - 95%
Umidità	0 - 95%

Certificati di sicurezza	
Certificati di conformità	RoHS
Certificazione	CE, EAC

Contenuto dell'imballo	
Scheda di gestione inclusa	✘
Manuale dell'utente	✔

Sostenibilità	
Certificati di sostenibilità	Green Premium

Dimensioni e peso	
Larghezza	85 mm
Profondità	505 mm
Altezza	432 mm
Peso	20,5 kg

Dati su imballaggio	
Larghezza imballo	594 mm
Profondità imballo	749 mm

Batteria	
Batteria scambio a caldo	✔

Design	
Fattore di forma *	Rackmount/Tower
Lunghezza cavo	1,83 m

Dati su imballaggio	
Altezza imballo	246 mm
Peso dell'imballo	29,6 kg

Dati logistici	
Quantità per pallett	12 pz
Codice del Sistema Armonizzato (SA)	85078000
Impronta di carbonio totale (kg of CO2e)	2573,19

0731304340300

731304340300

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 11-NOV-2026. Prints or copies of Information are only valid on the printed Publication date