TP-Link Omada EAP615-WALL punto accesso WLAN 1201 Mbit/s Bianco Supporto Power over Ethernet (PoE)



Marchio : TP-Link

Famiglia del prodotto: Omada

Codice prodotto: EAP615-WALL

Nome del prodotto : EAP615-WALL

TP-Link Omada EAP615-WALL. 2.4 GHz, 5 GHz, Velocità massima di trasferimento dati: 1201 Mbit/s. Algoritmi di sicurezza supportati: WPA, WPA2, WPA3. Velocità trasferimento Ethernet LAN: 10,100,1000 Mbit/s. Supporto Power over Ethernet (PoE). Colore del prodotto: Bianco



Caratteristiche	
2.4 GHz *	✔
5 GHz *	✔
6 GHz *	✘
Velocità massima di trasferimento dati *	1201 Mbit/s
Velocità massima di trasferimento dati (2,4 GHz)	574 Mbit/s
Velocità massima di trasferimento dati (5 GHz)	1201 Mbit/s
Velocità trasferimento Ethernet LAN	10,100,1000 Mbit/s
Standard di rete	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Tecnologia di cablaggio	10/100/1000Base-T(X)
Selezione automatica dei canali	✔
Scansione canale automatica	✔
MIMO	✔
Tipo MIMO	Multi User MIMO
VLAN support	✔
Limitazione della velocità	✔
Isolamento wireless	✔
Direzione della banda	✔
Airtime Fairness (ATF)	✔
Supporto qualità del servizio (QoS)	✔
BeamForming	✔
Potenza di trasmissione (CE)	20 dbm
Potenza di trasmissione (FCC)	21 dbm

Sicurezza	
Algoritmi di sicurezza supportati *	WPA, WPA2, WPA3
Funzioni SSID (Service Set Identifier)	Multiple SSIDs
Numero di supporti SSID	16

Caratteristiche di gestione	
Syslog	✔
Firmware aggiornabile	✔

Connettività	
Quantità porte Ethernet LAN (RJ-45) *	1

Gestione energetica	
Supporto Power over Ethernet (PoE) *	✔

Design	
Installazione *	Parete
Colore del prodotto *	Bianco
Interruttore On/Off	✔
Tasto reset	✔
Indicatori LED	Potenza

Antenna	
Tipo di antenna *	Interno
Qualità dell'antenna	4
Livello di guadagno dell'antenna (max)	4 dBi

Certificati di sicurezza	
Certificazione	CE, FCC

Dimensioni e peso	
Larghezza	143 mm
Profondità	86 mm
Altezza	20 mm

Dati su imballaggio	
Larghezza imballo	385 mm
Profondità imballo	495 mm
Altezza imballo	210 mm

Sicurezza	
Servizio utente di autenticazione remota in entrata (RADIUS)	✔
Lista di controllo accesso (ACL)	✔

Dati su imballaggio	
Peso dell'imballo	330 g
Condizioni ambientali	
Range di umidità di funzionamento	10 - 90%
Intervallo temperatura di funzionamento	0 - 40 °C
Intervallo di temperatura	-40 - 70 °C
Umidità	5 - 90%
Dati logistici	
Codice del Sistema Armonizzato (SA)	85176990

4897098683606

4897098682128

0840030703607

840030703607

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 17-NOV-2026. Prints or copies of Information are only valid on the printed Publication date