DeepCool CG530 4F Midi Tower Nero





Marchio : DeepCool

Codice prodotto: R-CG530-BKADA4-G-1

Nome del prodotto : CG530 4F

DeepCool CG530 4F. Fattore di forma: Midi Tower, Tipo: PC, Colore del prodotto: Nero. Fattori di forma di alimentazione supportati: ATX, PS2. Ventole laterali installate: 3x 120 mm, Diametro delle ventole laterali supportato: 120,140 mm, Rear fans installed: 1x 120 mm. Dimensioni di hard disk drive supportati: 2.5,3.5". Larghezza: 285 mm, Profondità: 440 mm, Altezza: 399 mm

Design	
Materiali	Acrilonitrile butadiene stirene (ABS), SPCC, Vetro temperato
Fattore di forma *	Midi Tower
Tipo *	PC
Colore del prodotto *	Nero
Fattore di forma scheda madre supportato *	ATX, ITX, micro ATX
Numero di vani per drive 3.5" *	2
Numero di attacchi da 2.5"	3
numero di slot espansivi	7
Finestra laterale	✔
Adatto per	Gaming
Illuminazione	✔
colore d'illuminazione	Multi
posizione delle illuminazioni	Ventole
Pannello(i) di vetro temprato	✔
Filtro anti polvere	✔
Gestione dei cavi ottimizzata	✔
Tasto reset	✔
Pulsante on/off	✔
Altezza massima dissipatori CPU	16 cm
lunghezza massima scheda grafica	41 cm
Lunghezza massima PSU	21 cm

Alimentazione	
Fonte di alimentazione inclusa *	✘
Fattori di forma di alimentazione supportati	ATX, PS2

Connettività	
Uscita audio	✔
Quantità di porte USB 3.2 Gen 1 (3.1 Gen 1) di tipo A *	2

Connettività	
Quantità di porte USB 3.2 Gen 2 (3.1 Gen 2) di tipo C *	1

Raffreddamento	
Ventole laterali installate	3x 120 mm
Numero massimo ventole laterali	3
Diametro delle ventole laterali supportato	120,140 mm
Rear fans installed	1x 120 mm
Numero massimo ventole posteriori	1
Diametro delle ventole posteriori supportato	120 mm
Numero massimo di ventole superiori	3
Diametri delle ventole superiori supportati	120,140 mm
Numero massimo ventole inferiori	3
Diametro delle ventole inferiori supportato	120 mm
capacità raffreddamento liquidi	✔
Dimensioni del radiatore laterale supportate	120,140,240,280 mm
Dimensioni della ventola del radiatore inferiore supportate	120,240,360 mm
Dimensioni del radiatore superiore supportate	120,140,240,280,360 mm

Archiviazione	
Dimensioni di hard disk drive supportati *	2.5,3.5"

Dimensioni e peso	
Larghezza	285 mm
Profondità	440 mm
Altezza	399 mm
Peso	7 kg

Altre caratteristiche	
Spessore del pannello di vetro temprato	4 mm



6933412765158

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 17-NOV-2026. Prints or copies of Information are only valid on the printed Publication date